









QUALITY

- 20 years guarantee
- Hot-dipped galvanized, polyamide coated steel plate
- Screws and hinges made of stainless steel
- Lifelong maintenance-free
- Rainwater proof



SECURITY

- Secured with a cylinder lock
- Fireproof



→ STABILITY

- Double thickness steel plate compared to low-cost providers
- Optimal, constructive design
- Withstands snow load of 150 kg/m²
- Secure against storms anchors included



FUNCTIONALITY

- Extensive range of standard equipment
- Easy to use
- Large selection of accessories
- Versatile, suitable for wide range of applications



SERVICE

- Free kerbside delivery
- Short delivery time
- Photo illustrated assembly manual assists easy erection
- Direct consultation with service team available
- Assembly service available on request







Biohort stands for "Life in the garden"

(bios = Greek for "Life" hortus = Latin for "The Garden")

Dear customers!

Biohort products are designed to offer you the best in quality, functionality and security. Our customers especially appreciate the durability and low maintenance of our storage solutions.

Your continuing satisfaction is our prime concern here at Biohort

Biohort garden sheds have proven their quality for over 30 years now. We are an Austrian manufacturing company; our highly-trained and skilled workers create our products using only top quality materials obtained from certified suppliers. Our hot-dipped galvanized steel plate is supplied by world-wide renowned German and Austrian steelworks, which also have German premium car manufacturer's trust. It is therefore with good reason and a clear conscience that we can offer our customers a **20-year guarantee** against corrosion on our products.

Our **Biohort service package** offers you many benefits: expert advice available direct from our customer service team to assist from planning through to completion as well as comprehensive information on hand at our website at **www.biohort.com**.

Sophisticated design and **high Austrian quality standards** applied in the manufacturing process help create products that we are sure will bring you enjoyment for decades to come.

For this I am prepared to offer you my personal guarantee.





Pages 4-7 **HighLine**®



The ultimate tool shed, which in every respect meets all the requirements for safety and functionality: available in 5 sizes and 3 colours - white, metallic silver and metallic dark grey

Pages 12-15

Europa



Everything kept neat and tidy and a lifelong free of maintenance with this classic design from Biohort: available in 9 sizes and 4 colours - metallic silver, quartz grey, metallic dark grey and dark green

Pages 18-19

WoodStock®



Firewood and equipment storage in a cabinet that is easy to mount against the wall: available in 2 sizes and 2 colours - metallic silver and metallic dark grey

Pages 22-23

HighBoard



The perfect multitalent for easy storage: available in 3 colours - white, metallic silver and metallic dark grey

Pages 26-27

LeisureTime Box



It packs away all the loose items for which you cannot find a suitable storage place: available in 4 sizes and 4 colours - white, metallic silver, metallic dark grey and dark green

Pages 8-11

AvantGarde



Fits in well with modern architecture and provides you with a lifetime of satisfaction: available in 4 sizes and 3 colours - metallic silver, metallic dark grey and dark green

Pages 16-17

Equipment Locker



Where space is tight, it shows its class - in the garden, on the patio or in the garage: available in 3 colours - metallic silver, metallic dark grey and dark green

Pages 20-21

StoreMax®



With its functional design StoreMax® provides maximum storage area in a small space: available in 3 sizes and 3 colours - metallic silver, quartz grey and metallic dark grey

Pages 24-25

LoungeBox®



The design box for high demands – a jewel for terrace and garden: available in 3 colours - white, metallic silver and metallic dark grey

Pages 28-29

CasaNova®



The first insulated design-annexe: available in 9 sizes and 2 colours - metallic silver and metallic dark grey



AND TECHNOLOGY

The equipment shed HighLine® fulfils the highest standards

For those looking for the best in quality and design! The modern flat roof and integrated all-around skylight make our top product, the HighLine® conceived by industrial designers at Biohort a pleasure for the eyes to behold. The 3-way locking mechanism with cylinder lock ensures optimum security. The opening and closing of the door is assisted by a gas assisted spring damper. Moreover all this is absolutely maintenance-free!

- Security: 3-way locking mechanism with stainless steel door handle, cylinder lock and spare key
- The door is designed to be particularly robust and stable and can be fitted into any of the walls!
- An **integrated all-around acrylic skylight** provides ample light inside from all angle
- **Functional:** gutter with integrated leaf traps fitted to both sides
- **Top quality materials:** hot-dipped galvanized, polyamide coated steel plate, screws, bolts and hinges made from stainless steel
- Extremely sturdy: withstands snow loads of up to 150 kg/m²
- Lifelong maintenance free
- 20 years guarantee
- Simple and straightforward assembly
- Extensive range of standard equipment included













Sizes (in cm, external dimensions incl. roof overhang) **Door opening:** Standard door (opens to the right): 76 x 182 cm (W x H), Double doors: 155 x 182 cm (W x H)



HighLine®

STANDARD EQUIPMENT



A 3-way locking mechanism including cylinder lock prevents unwanted entry. The door construction is particularly sturdy and secure.



Not only provides welcome assistance when opening and closing doors, but also holds the door firmly in position.





Ensure adequate air circulation.



An integrated acrylic skylight fitted on all sides provides ample light inside.



HighLine® is already prepared to allow for easy installation of polystyrene panels (3 cm thick) to insulate the roof.



Standard equipment: 2 shelves (depth: 21 cm), 4 brackets and 2 support rails.

Additional shelves of 21 cm or 51,5 cm depth and support rails are available separately as accessories.



to hang away spades, rakes, garden hoses and other garden tools.

4 pieces are supplied as standard.



are fitted to the inside of the doors. A maximum of 5 tool holders can be fitted to one door. **2 tool holders supplied as standard**





Offers the equipment shed additional stability when erected without a foundation on uneven ground (i.e. lawn). The ground anchors supply guarantee safety in stormy weather.



Manufactured from high quality aluminium chequered plate, depending on shed size the floor consists of 3-4 panels, connecting rails included. To ensure optimal effect usage with aluminium floor frame is required (see www.biohort.com/foundation).



can be found on pages 30-35

DOUBLE DOORS (LEFT DOOR WING ADDED TO THE STANDARD DOOR)

The addition of a left door wing to your garden shed increases accessibility and allows larger equipment to be stored inside. The 2nd door is fitted with a door locking mechanism and gas assisted spring damper. For she size H2 the 2nd door must be fitted into the longer wall.



SIDE DOOR (FOR INSTALLATION IN SIDE WALL WITH STAINLESS STEEL DOOR HANDLES)

To allow access to your garden shed from two sides, install an extra door in the side wall. Included in the delivery are a stainless steel door handles, 3-way locking mechanism, gas assisted spring damper, hinges, 2 tool holders, doorposts and all attaching parts required. The door opens only on the right side.



2 downpipes (L = 204 cm) in shed colour including outlet elbows and all necessary attaching parts.



The space-saving folding table can be easily slotted into 2 shelf rails. It quickly provides you with a sturdy work space. Load bearing capacity: max. 30 kg, size 69 x 58 cm



"BIKEMAX"

Height adjustable in 8-different positions and suitable for bikes with up to 29" wheels, integrated loop for bicycle lock included.



ACCESS RAMP

Can only be used when double doors are fitted, delivered in two parts for fitting inside and outside it makes crossing the threshold much easier - only required when floor frame is fitted. Must be removed before closing the doors! Load capacity: max. 200 kg; length: 135 cm



es it offers each day will guarantee endless enjoyment. The lifetime freedom from maintenance saves both money and valuable free time.

Advantages

- **Security:** 3- way locking mechanism with cylinder lock
- Modern Design
- Accessibility: installation of a door in the side wall is possible; hinge position (left or right) can be chosen to suit
- Top quality materials: hot-dipped galvanized, polyamide coated steel plate, screws, bolts and hinges made from stainless steel
- Extremely sturdy: will withstand snow loads of up to 150 kg/m²
- **Comfort:** gas assisted damper provides assistance when opening and ' closing doors
- Door can be unlocked from inside
- Acrylic glass fanlight plus roof overhang
- Easy to erect with aid of photo illustrated assembly manual
- Maintenance free
- 20 years guarantee
- Extensive range of standard equipment included



reddot design award

Colour: metallic dark grey



















AvantGarde

STANDARD EQUIPMENT



OPTIONAL ACCESSORIES



The door construction is particularly




















Technical details as well as detailed information regarding foundation

can be found on pages 30-35



DOUBLE DOORS

(LEFT DOOR WING ADDED TO THE STANDARD DOOR)

Installing an additional door (for size L onwards) increases access and enables larger equipment to be stored inside the shed. The 2nd door is fitted with a door locking mechanism and gas assisted spring



SIDE DOOR (FOR INSTALLATION IN SIDE WALL WITH TWIST BUTTON AND CYLINDER LOCK OUTSIDE)

To allow access to your garden shed from two sides, install an extra door in the side wall. Included in the delivery are a 3-way locking mechanism, gas assisted spring damper, hinges, 2 tool holders, doorposts and all attaching parts required. The door opening can be chosen on the left or right side.





FLOOR FRAME

Offers the equipment shed additional stability when erected without a foundation on uneven ground (i.e. lawn). The ground anchors supplied guarantee safety in stormy weather.



Manufactured from high quality aluminium chequered plate, depending on shed size the floor consists of 3 - 5 panels, connecting rails included. To ensure optimal effect usage with aluminium floor frame is required

(see www.biohort.com/foundation).



DOWNPIPE

2 downpipes (L = 182 cm) in shed colour including outlet elbows and all necessary attaching parts.



The space-saving folding table can be easily slotted into 2 shelf rails. It quickly provides you with a sturdy work space. Load bearing capacity: max. 30 kg, Size 69 x 58 cm



Height adjustable in 8-different positions and suitable for bikes with up to 28" wheels, integrated loop for bicycle lock included.



ACCESS RAMP

For size L onwards; can only be used when double doors are fitted, delivered in two parts for fitting inside and outside it makes crossing the threshold much easier - only required when floor frame is fitted. Must be removed before closing the doors! Load capacity: max. 200 kg; length: 135 cm



Size: 5 Colour: metallic dark grey










Size: 2 Colour: metallic silver

Everything tidy an well organised with this "classic" design from Biohort

Proven and tested for decades now and still up-to-date! More than 100,000 examples have been sold and the proud, satisfied owners bear testament to the success of our Garden Shed "Europa". The reasons are clear: its highly stable and functional design combined with durable materials and low maintenance. An extensive selection of standard equipment plus a range of well thought out accessories help create order and make working in the garden a pleasure.

- **Top quality materials**, combined with robust construction
- 20 years guarantee
- Lifelong maintenance free
- Hot-dipped galvanized, polyamide coated steel plate
- Double the thickness of steel plate compared with cheaper competitors
- **Extremely sturdy:** will withstand snow loads of up to 150 kg/m²
- Screws, bolts, connectors and hinges all made from stainless steel
- Twist grip with cylinder lock spare key included
- Simple to erect thanks to photo illustrated assembly manual
- Extensive range of standard equipment included



Thanks to the narrow depth, sizes 2A and 4A are particularly suitable for attachment to a house or garage wall.

2 extra brackets are included in the delivery to secure these sheds onto a wall.

For shed sizes 2A thru to 7, the double doors can be installed off-centre. For shed sizes 4, 5, 6, and 7 doors can also be installed in the side wall.



STANDARD EQUIPMENT





Double locking mechanism provides security against unwanted entry. The door construction is particularly stable and secure.



ORGANISER SYSTEM

Integrated organiser system fitted to the inside of doors (6 plastic hooks included).



With connection for 1 garden hose to collect and divert rainwater



Standard equipment: 2 shelves (depth: 21cm), 4 brackets and 2 support rails. Additional shelves of 21 cm or 51,5

Additional shelves of 21 cm or 51,5 cm depth and support rails are available separately as accessories.



to hang away spades, rakes, garden hoses and other garden tools.

4 pieces are supplied as standard.



The space-saving folding table can be easily slotted into 2 shelf rails. It quickly provides you with a sturdy work space. Load bearing capacity: max. 30 kg, size 69 x 58 cm



Can be attached either to the left, to the right or to both sides of the shed. The set includes all the attaching parts and supports required for fitting. (Not available for shed sizes 1 and 2A).

Technical details as well as detailed information regarding foundation

can be found on pages 30-35




ADDITIONAL OR EXTRA-WIDE DOUBLE DOORS

It is possible to install extra standard doors to "Europa" (i.e. by fitting in the side wall). You can also order an extra wide double door with dimensions: 171 x 171 cm – to replace or supplement the standard door for your Biohort Garden Shed - (note: this can only be installed off-centre).



Connecting modules are available for 244 cm or 316 cm wide. In this way two sheds can be joined in length to form a single large house. At the two gables additional profiles help support and connect the two combined sheds, the headroom at this point is 171 cm (same as door clearance height).



At floor level there is no interfering connections and from outside the connecting points on the side wall and roof are disguised with covering plates. An existing front wall with door and a rear wall are replaced by the necessary connecting parts during assembly. Please enter the dimensions and details of the desired variant when placing your order!





Offers the equipment shed additional stability when erected without a foundation on uneven ground (i.e. lawn). The ground anchors supplied guarantee safety in stormy weather.




The floor consists of 1 - 5 high qualityaluminium chequered plate panels depending on size of shed, connecting rails included. To ensure optimal effect usage with aluminium floor frame is required (see www.biohort.com/foundation).



2 downpipes ($L = 170 \text{ cm}^*$) in shed colour including outlet elbows and all necessary attaching parts. *(L = 150 cm when fitted to side)canopy, please state correct length when ordering)



Complete sidewall unit with a metal framed clear plastic window allows daylight into the garden shed. Window size 50 x 58 cm



Height adjustable in 6-different positions and suitable for bikes with up to 26" wheels, integrated loop for bicycle lock included.



Two part door ramp for fitting inside and outsideof shed makes crossing the threshold easier - only required when floor frame is fitted. Must be removed before closing the doors! Load capacity: max. 200 kg, length: 135 cm













Size (in cm)

Attractive and highly versatile cabinet

Where room is scarce, the Equipment Locker shows its class. In the garden or the garage, on the patio or on the balcony it organises and stores your tools without restricting your living space.

With the Biohort Equipment Locker you can store your garden implements, tools, children's toys and other similar items safely away and **protect them from the weather and theft.** Its **compact size** and **elegant design** allow it to blend in harmoniously with its surroundings.

- Top quality, and robust construction
- 20 years guarantee
- Hot-dipped galvanized, polyamide coated steel plate
- Lifelong maintenance free
- Twist grip cylinder lock, double door
- Adequate ventilation, rainwater proof
- Screws, bolts, connectors and hinges all made from stainless steel
- Extensive range of standard equipment included

Technical details as well as detailed information regarding foundation

can be found on pages 30-35



ORGANISER SYSTEM

Integrated organiser system fitted to the inside of doors (6 plastic hooks included).



SLOTS

Ensure adequate air circulation.



WIND HOOKS

Hold open doors securely in position



HANGERS

to hang away spades, rakes, garden hoses and other garden tools.

4 pieces are supplied as standard.



Standard equipment: 2 shelves (depth: 21 cm), 4 brackets and 2 support rails.

Additional shelves of 21 cm or 51,5 cm depth and support rails are available separately as accessories.



FLOOR FRAME


This offers the equipment locker additional stability when erected without a foundation on uneven ground (i.e. lawn). The ground anchors supplied guarantee safety in stormy weather.



Elegant and functional high quality aluminium chequered plate panel. To ensure optimal effect usage with aluminium floor frame is required (see www.biohort.com/foundation).



The space-saving folding table can be easily slotted into 2 shelf rails. It quickly provides you with a sturdy work space. Load bearing capacity: max. 30 kg, Size 69 x 58 cm



All-in-one firewood and garden equipment storage solution

Nothing conjures up a cosier atmosphere than that of a blazing fire burning in the hearth on a cold winters day, however where shall we store the firewood? The WoodStock® provides the tidy and lasting solution to this and other problems such as where to find **room for garden furniture and equipment** during the summer. It can be easily and practically secured to the house wall.

Advantages

- **Top quality materials:** hot-dipped galvanized, polyamide coated steel plate, high quality aluminium-frames, screws and hinges made from stainless steel
- **Sturdy and durable:** solid aluminium tube frame provides high lateral stability, will withstand high snow load
- Large storage capacity: wood can be stored in two rows (max. length of wood, 35 cm)
- Integrated ${\bf gutter}$ fitted into the front of the roof
- Multi-purpose: can also be used to store garden furniture and equipment
- A variety of expansion options available
- **Simple to erect** thanks to photo illustrated assembly manual
- Maintenance free no painting required
- 20 years guarantee
- All anchors and dowels for fixing to the ground included







Colour: metallic silver







OPTIONAL ACCESSORIES

Technical details as well as detailed information

can be found on pages 30-35



plate, protects wood and gardening

equipment from damp.








The multi-purpose roller shutter box

All of a sudden everything looks different. The lawnmower has its own garage and the refuse and old paper storage looks so much tidier. The multi-purpose design of the StoreMax® offers a maximum of storage room in a small compact space. The practical two part opening system with its effortlessly sliding roller shutters is designed for quick access!

Sizes (in cm)

QUARTZ GREY

METALLIC SILVER



METALLIC

DARK GREY


- **Top quality**: roller shutters and guide profiles made of coated aluminium, side walls constructed from hot-dipped galvanized, polyamide coated steel plate
- rainwater proof
- Secured with a cylinder lock
- Easy of operation: spring assisted roller shutter mechanism











STANDARD EQUIPMENT



(Only suitable for size 190)

2 hot-dipped galvanized steel shelves (74 x 21 cm), 4 brackets and 2 shelf support rails.



2-piece, hot-dipped galvanized steel shelf with support rails. Supports a load of ca. 100 kg can also be used as a 2 piece shelf, height adjustable in 5 different positions easily installed later.



(Only suitable for size 120 & 160)

2 hot-dipped galvanized steel shelves(triangular-shaped) with supports, height adjustable in 5 different positions, easily fitted later - no tools required, can be fitted to the left or the right as required.



Size 190

Examples of storage capacity

	*
Size	
120	2 x 120 l Dustbins
160	3 x 120 l Dustbins or
	2 x 240 l Dustbins, turned 90°

3 x 120 l Dustbins or 190 3 x 240 l Dustbins or 2 - 3 Bicycles

To fill the bins,

opening the

is required.







- Side walls and doors made of hot-dipped galvanized and polyamide coated steel plate
- Convenient lid and door opening with gas assisted spring damper
- Rainwater proof
- **Knob cylinder lock** (spare key included)
- Invisible, integrated ventilation
- High quality stainless steel screws and hinges









STANDARD EQUIPMENT



OPENER

convenient holder for opening the dustbin-lid.



The lid can be used to store a wide variety of small objects; it is easily attached to the inside of the lid. (attaching parts included).



INTERMEDIATE FLOOR

four-piece, height adjustable in 9 different positions, coated steel plate, easy to install and universally usable (e.g. continuous floor, shelf with 2 or 4 floors) Load capacity: max. 50 kg



TOOL HANGERS

are fitted to the inside of the doors. A maximum of 3 tool holders can be fitted to one door.




Application example 2 (shelf on one side with 2 floors, depth 60 cm)

Storage capacity

	*
Size	
160	3 x 120 l Dustbins







Size (cm) 160 70 160 83.5







STYLISH ELEGANCE

Design-box for high demands

The LoungeBox® is the perfect storage solution for seat cushions and other things, for which one never finds a place. Due to its appealing look, it fits well on every terrace.

- Attractive design, round edges
- Lid made of powder-coated aluminium
- Side walls made of hot-dipped galvanized and polyamide coated steel plate
- Convenient lid opening with gas assisted spring damper
- Rainwater proof
- **Knob cylinder lock** (spare key included)
- Invisible, integrated **ventilation**
- High quality stainless steel screws and hinges





STANDARD EQUIPMENT



OPTIONAL ACCESSORIES

Technical details as well as detailed information

can be found on pages 30-34



GAS ASSISTED SPRING DAMPER

Convenient lid opening with gas assisted spring damper



KNOB CYLINDER LOCK

Spare key included.



LID STORAGE NET

The lid can be used to store a wide variety of small objects; it is easily attached to the inside of the lid. (attaching parts included)..



Sizes (in cm) 101 46 100 83 160 79 160 160 160 180 180 180

ATTRACTIVE AND DURABLE

The perfect trunk for outdoors

The perfect storage solution, for tidying away items for which there appears to be no suitable place. Ideal for storing away seat cushions, toys, sun loungers, folding chairs, sports and camping equipment. Available in

4 sizes and 4 colours - the perfect solution made with high-quality materials!


- Robust, sturdy plain flat lid
- Hot-dipped galvanized, polyamide coated steel plate
- Convenient lid opening with gas assisted spring damper
- Weather, rainwater proof
- Twist grip, cylinder lock (including spare key)
- Invisible, integrated **ventilation**
- High quality stainless steel screws and hinges





gas assisted spring damper





can be found on pages 28-30

attached to the inside of the lid. In the LeisureTime Box 180 two nets can be attached side by side (attaching parts included).

Annexe CasaNova®



THE HIGH-END METAL SHED WITH INSULATED SIDE WALLS

"The Cavalier at its best"

What others call luxury is already included in the standard equipment of the design-Annexe of CasaNova® The basis is the unique insulation. You will appreciate features like the gas assisted spring damper at the door. The modern design makes it a real eye catcher.

- can be heated thanks to **insulated design**: U-value of side walls = $0.76 \text{ W/(m}^2\text{K})$
- an additional heat insulation with XPS- polystyrene on the roof is possible
- **Door hinge position** (left or right) as suitable
- Top quality materials: extruded aluminium sections and sandwich panels made of hot-dipped galvanized, polyamide coated steel plate with an insulated core of 40 mm polystyrene (EPS20)
- no screws and bolts visible on the outside
- lifelong maintenance free no more painting
- Screws and hinges made from stainless steel
- large selection of accessories
- simple assembly thanks to modular design and detailed assembly manual incl. 3D-drawings
- Sturdy construction: withstands snow loads of up to 215 kg/m² less roof loading e.g. greening









SECTIONAL OVERHEAD GARAGE DOOR (MADE BY HÖRMANN)

For all those who place high value on comfort. 42 mm thick lamellae ensure stability and best insulation. An integrated finger anti-trap protection, an anti-fall prevention system and an optional electrical motor with remote control are just a few of the numerous advantages of this garage door. Colour: silver Dimensions of door opening: 237.5 x 200 cm (W x H)

SIDE DOOR (FOR INSTALLATION IN ANY WALL WITH STAINLESS STEEL DOOR HANDLES)

Can be fitted in any wall of the Annexe and makes our CasaNova® accessible from two sides. Included in delivery: a stainless steel door handle, cylinder lock, gas assisted spring damper and an extra door sill. Size: 95 x 200 cm (W x H)


c ALUMINIUM TILT AND TURN WINDOW

This high quality double glazed window allows extra daylight into the Annexe (Frame size 83 x 65 cm, fitted height 119 cm from lower edge of outer frame).



GLASS-FANLIGHT

Ensures adequate daylight illumination from all sides.



DOOR HANDLE

and cylinder lock, incl. spare key



two gutters with rainwater downpipes guarantee a smooth and efficient run-off of rainwater from the roof.



Gives the Annexe the necessary stability even without a concrete foundation. The gravel for the floor frame must be leveled. The ground anchors supplied gurantee safety in stormy weather



Manufactured from high quality aluminium chequered plate, depending on shed size, the floor consists of 4 - 12 panels, connecting rails included. To ensure optimal effect usage with aluminium floor frame is required.



SPOTLIGHTS


This turns the CasaNova® into a real highlight. The cut-outs (Ø 51mm) provided at the front allow spotlights to be installed (not included in delivery).

Quality material ensures a lifetime free of maintenance

Biohort uses only the best materials to manufacture its products. For painted parts, **hot-dipped galvanized steel plate** with a thick protective zinc coating of a least 150 g/m² and an additional "enamel coating" of polyamide is used. Our hot-dipped galvanized steel plate is supplied by worldwide renowned German and Austrian steelworks, which also have German premium car manufacturer's trust.

All other metal parts are either made from stainless steel, aluminium or galvanized sheet steel with a 275 g/m²thick zinc coating. The use of top quality materials ensures that Biohort can confidently offer a **20 year guarantee** against corrosion. We have never had a related warranty claim in this regard in our company history.







Our 2- or 3-way locking mechanisms prevents intruders gaining access to your property. Our products are built to meet Austria's highest quality manufacturing standards.



SCREWS AND FITTINGS MADE OF STAINLESS STEEL

Low-cost manufacturers use screws and fitting made of galvanized metal, which results in corrosion damage after a few years. **Biohort prides itself on uncompromising quality:** all metal parts are hot-dipped galvanized (ensures a very thick protective layer of zinc) and all fasteners, screws/nuts and fittings are made of stainless steel





STABILITY

Biohort Garden and Tool Sheds are manufactured from steel plate with double the thickness compared with other low-cost manufacturers, this ensures our sheds are highly stable and robust (our sheds will withstand snow loads of 150 kg/m²). Costlier materials, aluminium profiles and the use of stainless steel screws all contribute to the durability of our products.

METAL - IDEAL FOR THE OUTDOOR USE



For garden and tool sheds that have to stand outdoors all year-round metal is clearly the better choice!

WOOD



Time-consuming painting in your spare time costs money and nerves.



Where moisture collects the affected wood can begin to rot after a few years.



Wood expands and contracts. The results are jammed doors and cracks and splits in the wood.



Painted or varnished wood surfaces must be treated repeatedly. Untreated wood will quickly become unsightly.



Wood burns easily. For this reason, the use of wood and plastic is forbidden on camping sites.

METAL



No more painting – use your valuable time for the essential things in life.



Thanks to galvanizing and enamel finishes metal remains durable for generations. 20 years warranty!



The high quality steel used by Biohort does not deform and remains in shape for years.



The colour of enamelled steel plate remains attractive for years and can be easily cleaned (even with a high pressure cleaner).



The hot-dip galvanized, polyamide enamel coated steel plate used by Biohort is fireproof in acc. with EN 13501-1 (Class "A1").

SERVICE





LIEFERUNG FREI HAUS

Dispatched within 2 to 4 workdays!*

We will deliver your order free of charge directly to your home address (free kerbside delivery).

The address given must be accessible to a 38t-lorry.

*Excluded CasaNova®; Delivery costs on request





BIOHORT COLOURS • WWW.BIOHORT.COM/ DEALER SEARCH

off printing reasons the pictured colour in our folder can deviate from the real colour. The used colour coating is especially produced for Biohort and do not accord with a RAL- number. All Biohort dealers have an original colour sample, so we suggest you to have a look before buying. Dealers next to you can find on "dealer search" under www.biohort.com

TECHNICAL DETAILS



HighLine®

Size	Exterior dimensions* W x L x H (cm)	Interior dimensions* W x L x H (cm)	Foundation dimensions W x L (cm)	Weight	EAN-Code white	EAN-Code metallic silver	EAN-Code metallic dark grey		
	W X L X II (CIII)	W X L X H (CIII)	VV X L (CIII)	(kg)	willte	metanic silver	metanic dark grey		
HighLir	HighLine® with Standard door								
H1	275 x 155 x 222**	252 x 132 x 210	257 x 137	180	9003414 81020 4	9003414 83020 2	9003414 84020 1		
H2	275 x 195 x 222**	252 x 172 x 210	257 x 177	204	9003414 81030 3	9003414 83030 1	9003414 84030 0		
Н3	275 x 235 x 222**	252 x 212 x 210	257 x 217	227	9003414 81040 2	9003414 83040 0	9003414 84040 9		
H4	275 x 275 x 222**	252 x 252 x 210	257 x 257	248	9003414 81050 1	9003414 83050 9	9003414 84050 8		
H5	275 x 315 x 222**	252 x 292 x 210	257 x 297	281	9003414 81060 0	9003414 83060 8	9003414 84060 7		
HighLine® with Double doors									
H1	275 x 155 x 222**	252 x 132 x 210	257 x 137	190	9003414 81029 7	9003414 83029 5	9003414 84029 4		
H2	275 x 195 x 222**	252 x 172 x 210	257 x 177	214	9003414 81039 6	9003414 83039 4	9003414 84039 3		
Н3	275 x 235 x 222**	252 x 212 x 210	257 x 217	237	9003414 81049 5	9003414 83049 3	9003414 84049 2		
H4	275 x 275 x 222**	252 x 252 x 210	257 x 257	258	9003414 81059 4	9003414 83059 2	9003414 84059 1		
H5	275 x 315 x 222**	252 x 292 x 210	257 x 297	291	9003414 81069 3	9003414 83069 1	9003414 84069 0		

 $^{^{\}star}$ incl. roof overhang, $^{\star\,\star}$ overall heigth

Packed in 5 cartons, photo illustrated assembly manual included.

Accessories in matching size		EAN-Code H1	EAN-Code I	12	EAN-Co	de H3	EA	N-Code H4	EAN-Code H5
Aluminium floor frame		9003414 41022 0	9003414 410	1041 1 9003414 41042 8		11042 8	9003	3414 41051 0	9003414 41062 6
Aluminium floor panels		9003414 48022 3	9003414 480	41 4 90	003414	18042 1	9003	3414 48051 3	9003414 48062 9
Accessories in matching colour		EAN-Code white						EAN-Code metallic dark grey	
Additional door with stainless steel door handle		9003414 810	002 0	90	03414 8	3002 8		90034	114 84002 7
Rainwater downpipe set		9003414 815	518 6	90	003414 8	3518 4		90034	114 84518 3
Tool holder for door, 2-pieces	per package	9003414 470	061 3 9003414 47031 6			90034	114 47051 4		
Shelf-set 21 x 74 cm	2 Shelves, 4 Brack	ets						9003414 4501 0	3
	21 x 74 cm:	4 Shelves, 8 Bra	ackets			9003414 45020 2			2
	51.5 x 74 cm:	2 Shelves, 4 Bra	ackets			9003414 45030 1) 1
Shelf support rails	185 cm	2-pieces per pa	ickage			9003414 46021 8			18
Tool Hangers		4-pieces per pa	ickage					9003414 4702 0	0 0
Bicycle holder "BikeMax"	185 cm	1-piec per package				9003414 49011 6			16
		2-pieces per pa	ickage					9003414 49021	1 5
Threshold Access Ramp (Doub	ole doors required)							9003414 4100 0	0 8
Folding Table								9003414 4001 1	1 5



AvantGarde

Size	Exterior dimensions* W x L x H (cm)	Interior dimensions W x L x H (cm)	Foundation dimen- sions W x L (cm)	Weight (kg)	EAN-Code metallic silver	EAN-Code metallic dark grey	EAN-Code dark green		
AvantGa	AvantGarde with Standard door								
M	180 x 220 x 218**	172 x 172	177 x 177	136	9003414 25030 7	9003414 27030 5	9003414 26030 6		
L	260 x 220 x 218**	252 x 172	257 x 177	169	9003414 25040 6	9003414 27040 4	9003414 26040 5		
XL	260 x 300 x 217**	252 x 252	257 x 257	209	9003414 25050 5	9003414 27050 3	9003414 26050 4		
XXL	260 x 380 x 222**	252 x 332	257 x 337	253	9003414 25060 4	9003414 27060 2	9003414 26060 3		
AvantGa	AvantGarde with Double doors								
L	260 x 220 x 218**	252 x 172	257 x 177	179	9003414 25049 9	9003414 27049 7	9003414 26049 8		
XL	260 x 300 x 217**	252 x 252	257 x 257	219	9003414 25059 8	9003414 27059 6	9003414 26059 7		
XXL	260 x 380 x 222**	252 x 332	257 x 337	263	9003414 25069 7	9003414 27069 5	9003414 26069 6		

^{*} incl. roof overhang, ** overall heigth

Packed in 4 to 5 cartons, photo illustrated assembly manual included.

Accessories in matching size				EAN-Code XXL
Aluminium floor frame	9003414 41031 2	9003414 41041 1	9003414 41051 0	9003414 41061 9
Aluminium floor panels	9003414 48031 5	9003414 48041 4	9003414 48051 3	9003414 48061 2
Accessories in matching colour		EAN-Code metallic silver		EAN-Code dark green
Additional door with Twist button and cylind	ler lock outside)	9003414 25002 4	9003414 27002 2	9003414 26002 3
Rainwater down pipe incl. attaching parts		9003414 44021 0	9003414 44061 6	9003414 44041 8
Tool holder for door, 2-pieces per package		9003414 47031 6	9003414 47051 4	9003414 47041 5
				EAN-Code
Shelf-set 21 x 74 cm	2 Shelves, 4 Brackets			9003414 45010 3
	21 x 74 cm:	4 Shelves, 8 Brackets		9003414 45020 2
	51.5 x 74 cm:	2 Shelves, 4 Brackets		9003414 45030 1
Shelf support rails	185 cm	2-pieces per package		9003414 46021 8
Tool Hangers		4-pieces per package		9003414 47020 0
Bicycle holder "BikeMax"	185 cm	1-piec per package		9003414 49011 6
		2-pieces per package		9003414 49021 5
Threshold Access Ramp (Double doors require	red)			9003414 41000 8
Folding Table				9003414 40011 5



Europa

Size	Exterior dimensions* W x L x H (cm)	Interior dimensions W x L x H (cm)	Foundation di- mensions W x L (cm)	Weight (kg)	EAN-Code metallic silver	EAN-Code quartz grey	EAN-Code metallic dark grey	EAN-Code dark green
1	172 x 84 x 196**	150 x 78 x 188**	155 x 83	77	9003414 29010 5	9003414 20010 4	9003414 24010 0	9003414 23010 1
2	172 x 156 x 196**	150 x 150 x 188**	155 x 155	101	9003414 29020 4	9003414 20020 3	9003414 24020 9	9003414 23020 0
3	244 x 156 x 203**	222 x 150 x 195**	227 x 155	123	9003414 29030 3	9003414 20030 2	9003414 24030 8	9003414 23030 9
4	244 x 228 x 203**	222 x 222 x 195**	227 x 227	152	9003414 29040 2	9003414 20040 1	9003414 24040 7	9003414 23040 8
5	316 x 228 x 209**	294 x 222 x 202**	299 x 227	185	9003414 29050 1	9003414 20050 0	9003414 24050 6	9003414 23050 7
6	244 x 300 x 203**	222 x 294 x 195**	227 x 299	179	9003414 29060 0	9003414 20060 9	9003414 24060 5	9003414 23060 6
7	316 x 300 x 209**	294 x 294 x 202**	299 x 299	217	9003414 29070 9	9003414 20070 8	9003414 24070 4	9003414 23070 5
2A	244 x 84 x 203**	222 x 78 x 195**	227 x 83	105	9003414 29080 8	9003414 20080 7	9003414 24080 3	9003414 23080 4
4A	316 x 156 x 209**	294 x 150 x 202**	299 x 155	155	9003414 29090 7	9003414 20090 6	9003414 24090 2	9003414 23090 3

^{*} incl. roof overhang, ** overall heigth

Packed in 3 to 4 \underline{c} artons, photo illustrated assembly manual included.

Accessori	ies in matching colour	EAN-Code metallic silver	EAN-Code quartz grey	EAN-Code metallic dark grey	EAN-Code dark green
Window-	Unit	9003414 43060 0	9003414 43020 4	9003414 43050 1	9003414 43040 2
	er down pipe set ching parts	9003414 44070 8	9003414 44020 3	9003414 44050 0	9003414 44040 1
Side cand 2/3/4A	opy for the sizes: (W 150 x L 156 cm)	9003414 42019 9	9003414 42070 0	9003414 42014 4	9003414 42040 3
4/5	(W 150 x L 228 cm)	9003414 42029 8	9003414 42080 9	9003414 42024 3	9003414 42050 2
6/7	(W 150 x L 300 cm)	9003414 42039 7	9003414 42090 8	9003414 42034 2	9003414 42060 1

	Aluminium Floor Frame EAN-Code	Aluminium Floor Panels EAN-Code
1	9003414 41010 7	9003414 48010 0
2	9003414 41020 6	9003414 48020 9
3	9003414 41030 5	9003414 48030 8
4	9003414 41040 4	9003414 48040 7
5	9003414 41050 3	9003414 48050 6
6	9003414 41050 3	9003414 48050 6
7	9003414 41070 1	9003414 48070 4
2A	9003414 41080 0	9003414 48080 3
4A	9003414 41090 9	9003414 48090 2

Accessories made of galvanized steel plate	
Shelf-set 21 x 74 cm	
2 Shelves, 4 Brackets	9003414 45010 3
4 Shelves, 8 Brackets	9003414 45020 2
Shelf-set 51.5 x 74 cm	
2 Shelves, 4 Brackets	9003414 45030 1
Shelf support rails 2-pieces per package	9003414 46020 1
Tool Hangers 4-pieces per package	9003414 47020 0
Bicycle holder "BikeMax" (L=173 cm):	
1-piece per package	9003414 49010 9
2-pieces per package	9003414 49020 8
Threshold Access Ramp	9003414 41000 8
Folding Table	9003414 40011 5



Equipment Locker

Exterior dimensions	Interior dimensions	Foundation dimensions	Weight	EAN-Code	EAN-Code	EAN-Code
W x L x H (cm)	W x L x H (cm)	W x L (cm)	(kg)	metallic silver	metallic dark grey	dark green
155 x 83 x 182.5	150 x 78 x 177	155 x 83	71	9003414 34010 7	9003414 31010 0	9003414 33010 8

Packed in a single carton, photo illustrated assembly manual included.

EAN-Code
9003414 41010 7
9003414 48010 0
9003414 45010 3
9003414 45020 2
9003414 45030 1

Accessories	EAN-Code
Shelf support rails 2-pieces per package	9003414 46020 1
Tool Hangers 4-pieces per package	9003414 47020 0
Folding Table	9003414 40011 5



WoodStock®	*	incl.	roof	overhang,	**	overall	heigth
------------	---	-------	------	-----------	----	---------	--------

Size	Exterior dimensions* W x L x H (cm)	Interior dimensions W x L (cm)	Foundation dimensions W x L (cm)	Volume (m³)	Capacity (m³)	Weight (kg)	EAN-Code metallic silver	EAN-Code metallic dark grey
150	157 x 102 x 199**	142 x 70	155 x 83	2.1	1.8	38.5	9003414 35010 6	9003414 37010 4
230	229 x 102 x 199**	214 x 70	227 x 83	3.1	2.7	43.5	9003414 35020 5	9003414 37020 3

Accessories	for Size	EAN-Code
Aluminium Floor Panel	150	9003414 48010 0
Aluminium Floor Panel	230	9003414 48080 3
Rear wall, metallic silver	150	9003414 35012 0
Rear wall, metallic dark grey	150	9003414 37012 8
Rear wall, metallic silver	230	9003414 35022 9
Rear wall, metallic dark grey	230	9003414 37022 7

Accessories		EAN-Code
Door package, incl. cover plate, metallic silver	150	9003414 35001 4
Door package, incl. cover plate, metallic dark grey	150	9003414 37001 2
Door package, incl. cover plate and two front wall panels, metallic silver	230	9003414 35002 1
Door package, incl. cover plate and two front wall panels, metallic dark grey	230	9003414 37002 9

Packed in a single carton, photo illustrated assembly manual included.



StoreMax®

Size	Exterior dimensions W x L x H (cm)	Interior dimensions W x L (cm)	Volume (I)	Weight (kg)	EAN-Code metallic silver	EAN-Code quartz grey	EAN-Code metallic dark grey
120	117 x 73 x 109	114 x 62	740	39	9003414 72060 2	9003414 70060 4	9003414 73060 1
160	163 x 78 x 120	160 x 67	1,200	50	9003414 72010 7	9003414 70010 9	9003414 73010 6
190	190 x 97 x 136	188 x 86	2,080	65	9003414 72020 6	9003414 70020 8	9003414 73020 5

Packaging: sizes 120/160: 1 carton / size 190: 2 cartons, photo illustrated assembly manual included

ACCESSORIES	for Size	Dimensions (cm)	EAN-Code
Corner shelf set (Triangular)	120/160	Side length = 54	9003414 74010 5
Intermediate floor, incl. 4 supports	160	W 160 (2 x 80) x L 59,5	9003414 75010 4
Shelf set incl. 2 support rails	190	W 74 x L 21	9003414 74020 4
Intermediate floor, incl. 8 supports	190	W 187 (2 x 93.5) x L 74,5	9003414 75020 3

Examples of storage capacity

120	2 x 120 l Dustbins
160	3 x 120 l Dustbins or
	2 x 240 l Dustbins, turned 90°

Size	Storage capacity
190	3 x 120 l Dustbins or
	3 x 240 l Dustbins or
	2 - 3 Bicycles



Size	Exterior dimensions	Interior dimensions	Weight	Volume	EAN-Code	EAN-Code	EAN-Code
	W x L x H (cm)	W x L x H (cm)	(kg)	(l)	white	metallic silver	metallic dark grey
160	160 x 70 x 118	156 x 62 x 113	62	1,150	9003414 71015 3	9003414 72015 2	9003414 73015 1

Packed in 2 cartons, photo illustrated assembly manual included.

Tool holder for door, 2 pieces per package	9003414 47061 3	9003414 47031 6	9003414 47051 4	
Lid storage net	160	25 x 67	9003414 67010 5	
Intermediate floor, 4 pieces	160	per floor W 78 x L 30	9003414 75015 9	

Storage capacity

Lid storage net

	Storage capacity
160	3 x 120 l Dustbins



Size	Exterior dimensions	Interior dimensions	Weight	Volume	EAN-Code	EAN-Code	EAN-Code
	W x L x H (cm)	W x L x H (cm)	(kg)	(I)	white	metallic silver	metallic dark grey
160	160 x 70 x 83.5	159 x 66 x 77	40	850	9003414 61065 1	9003414 64065 8	9003414 65065 7

LoungeBox®

EAN-Code
9003414 67010 5



LeisureTime Box

Size	Exterior dimensions (Lid) W x L x H (cm)	Interior dimensions W x L x H (cm)	Weight (kg)	Volume (I)	EAN-Code white	EAN-Code metallic silver	EAN-Code metallic dark grey	EAN-Code dark green
100	101 x 46 x 61	92 x 37.5 x 56	17	195	9003414 61010 1	9003414 64010 8	9003414 65010 7	9003414 63010 9
130	134 x 62 x 71	125 x 53.5 x 66	27	460	9003414 61040 8	9003414 64040 5	9003414 65040 4	9003414 63040 6
160 Hlgh	160 x 79 x 83	151 x 70.5 x 78	39.5	830	9003414 61060 6	9003414 64060 3	9003414 65060 2	9003414 63060 4
180	181 x 79 x 71	172 x 70.5 x 66	41	800	9003414 61030 9	9003414 64030 6	9003414 65030 5	9003414 63030 7

Packed in a single carton, photo illustrated assembly manual included.

Packed in a single carton, photo illustrated assembly manual included.

Accessories	EAN-Code
Lid storage net	9003414 67010 5



Size	Exterior dimensions* W x L x H (cm)	Interior dimensions (without supports) W x L x H (cm)	Foundation dimensions W x L (cm)	Weight (kg)	Door hinge side	EAN-Code metallic silver	EAN-Code metallic dark grey
3 x 2	330 x 230 x 250**	292 x 192 x 229	304 x 204	510	right	9003414 51010 4	9003414 52010 3
3 x 3	330 x 330 x 250**	292 x 292 x 229	304 x 304	630	right	9003414 51011 1	9003414 52011 0
3 x 4	330 x 430 x 250**	292 x 392 x 229	304 x 404	750	right	9003414 51012 8	9003414 52012 7
3 x 5	330 x 530 x 250**	292 x 492 x 229	304 x 504	870	right	9003414 51013 5	9003414 52013 4
3 x 6	330 x 630 x 250**	292 x 592 x 229	304 x 604	990	right	9003414 51018 0	9003414 52018 9
4 x 2	430 x 230 x 250**	392 x 192 x 224	404 x 204	650	right	9003414 51020 3	9003414 52020 2
4 x 4	430 x 430 x 250**	392 x 392 x 224	404 x 404	890	right	9003414 51022 7	9003414 52022 6
4 x 5	430 x 530 x 250**	392 x 492 x 224	404 x 504	1,010	right	9003414 51023 4	9003414 52023 3
4 x 6	430 x 630 x 250**	392 x 592 x 224	404 x 604	1,130	right	9003414 51028 9	9003414 52028 8

^{*} incl. roof overhang, ** overall heigth

FOUNDATIONS

3 OPTIONS FOR ACHIEVING A SECURE ANCHORAGE

(For all Garden Sheds and Tool Sheds, non-binding recommendation)



Option '

ALUMINIUM FLOOR FRAME AND FLOOR PANELS ON GRAVEL

With the aluminium floor frame (accessory), the Shed can be set up on uneven ground andanchored against the storm (ground anchors are included). The aluminium floor panels (accessory) can be installed as shown.



Option 2

ALUMINIUM FLOOR FRAME ON PAVING SLABS

An effective solution can be achieved by laying paving slabs in a gravel-bed. You can secure the shed to the slabs with the ground anchors provided.

Further details about foundations You will find on







Option :

CONCRETE FOUNDATION

A **rainforced concrete foundation** in a gravel bed is the optimal solution(see foundation dimensions). This type of foundation provides a level, dry place to secure your Garden Shed **against any storm.** Anchors and plastic dowels are included with the standard delivery.

Irregardless which type of foundation is chosen, it is most important to ensure a storm proof anchorage is achieved (see illustration).

Do you still have any questions?

You can find the following at www.biohort.com

- Assembly manuals to download
- Answers to frequently asked questions (FAQs)
- Personal advisor
- Foundation details
- Dimensions, technical details
- Online -Configurator "Biohort in my garden"
- Dealer search and much more



HighLine®

The ultimate tool shed, which in every respect meets all the requirements for safety and

functionality: available in 5 sizes and 3 colours - white, metallic silver and metallic dark grey



EQUIPMENT LOCKER

Where space is tight, it shows its classic - in the garden, on the patio or in the garage: available in 3 colours - metallic silver, metallic dark grey and dark green



HighBoard

The perfect multitalent for easy storage: available in 3 colours white, metallic silver and metallic dark grey



2 colours - metallic silver,

metallic dark grey



AvantGarde

Fits in well with modern architecture and provides you with a lifetime of satisfaction: available in 4 sizes and 3 colours - metallic silver, metallic dark grey and dark green



WoodStock®

Firewood and equipment storagein a cabinet that is also suitable for easy wall mounting: available in 2 sizes and 2 colours metallic silver and metallic dark grey



LoungeBox®

The design-box for high demands - a jewel for terrace and garden: available in 3 colours - white, metallic silver and metallic dark grey



LeisureTime Box

It packs away all the loose items for which you cannot find a suitable storage place: available in 4 sizes and 4 colours - white, metallic silver, metallic dark grey and dark green




Europa

Everything kept neat and tidy and a lifelong free maintenance with this classic from Biohort: available in 9 sizes and 4 colours metallic silver, quartz grey, metallic dark grey and dark green



StoreMax®

With its functional design StoreMax® provides maximum storage space in the smallest place: available in 3 sizes and 3 colours - metallic silver, quartz grey and metallic dark grey





Biohort GmbH

Pürnstein 43, 4120 Neufelden, Austria Phone: +43-7282-7788-0, Fax-DW: 190 E-Mail: office@biohort.at, www.biohort.com

